Cosmologia e Lentes Gravitacionais



Martín Makler

CBPF


XI ESCOLA DO CBPF

24 a 28 de julho de 2017, Rio de Janeiro

Cosmology and Gravitational Lensing

Martín Makler
CBPF

CBPF MCTI



XI ESCOLA DO CBPF

24 a 28 de julho de 2017, Rio de Janeiro

Cosmology

The study of the structure, evolution and origin of the Universe

Phenomenology

Theoretical cosmologist's Universe

Homogeneous and isotropic

Dominated by Dark Matter and Energy



Astronomer's Universe:

Galaxies, gas, stars, etc.



© Copyleft Martín Makler

Phenomenology

Theoretical cosmologist's Universe
Homogeneous and isotropic
Dominated by Dark Matter and Energy

Astronomer's Universe:
Galaxies, gas, stars, etc.


- Connection between theory and observations
- Statistical analyses
- Modeling, including relevant physical processes (simulations, semi-analytical modeling)
- Observables: where/how can I expect to detect a given phenomenon?
- Interdisciplinary field

© Copyleft Martín Makler

Gravitational Lensing is a Key Cosmological Observavble

- Lensing probes scales from galaxies to the large-scale structure of the Universe
- Is sensitive to all matter ("less astrophysics")
- Is unique to test modified gravity theories and Dark Matter models
- Is somewhat "harder" mathematically/computationally and observationally than other cosmological observables
- Most current and future cosmology projects include lensing

$w(z) = w_0 + w_a(1-a)$ 68% CL



Ma, Weller, Huterer, et al.

A plethora of lensing phenomena

Strength

- Strong lensing
  - Strong magnifications
  - Multiple images
  - Distortions
    - Rings
    - Arcs
- Weak Lensing
  - Small twist
  - Small magnification
  - Detected statistically

Angular scale

- Micro-lensing
  - MACHOS
  - Planetary search
- Micro and mili-lensing
  - Quasars
- "Macro-lensing"
  - Galaxies
  - Clusters
  - Large-scale structure

A plethora of lensing phenomena


Strength

- Strong lensing
  - Strong magnifications
  - Multiple images
  - Distortions
    - Rings
    - Arcs
- Weak Lensing
  - Small twist
  - Small magnification
  - Detected statistically

Angular scale


- Micro-lensing
  - MACHOS
  - Planetary search
- Micro and mili-lensing
  - Quasars
- “Macro-lensing”
  - Galaxies
  - Clusters
  - Large-scale structure


A plethora of lensing phenomena




Outline

- Background cosmology and the cosmic pie
- Thermal history and fluctuations (LSS and CMB)
- Introduction to lensing and basics of Strong Lensing
- Weak lensing
- Gravitational lensing and cosmology
- Extra: Dark Matter or Cosmological Observables
- Prize for exercises!







The Dark Side of the Universe

Episode I


© Copyleft Martín Makler

“O único mistério do Universo é o mais e não o menos. [...]
O que existe transcende para mim o que julgo que existe.”
[O Único Mistério Do Universo, Poemas Inconjuntos]



Dark Matter

- Velocity dispersion in galaxy clusters (Zwicky 1934)



Virial theorem

$$2\langle E_K \rangle = -\langle E_G \rangle$$


$$\Downarrow$$

$$\frac{1}{2}\sum_i m_i v_i^2 \sim -\frac{1}{2}\left(-\frac{1}{2}\frac{GM^2}{R}\right)$$

$$\boxed{M \sim \frac{2Rv^2}{G}}$$

Dark Matter

- Velocity dispersion in galaxy clusters (Zwicky 1934)



Virial theorem

$$\left\langle T \right\rangle = -\left\langle E_G \right\rangle$$

$$\Downarrow$$

$$\sum_i \frac{1}{2} m_i v_i^2 \sim -\frac{1}{2}\left(-\frac{1}{2}\frac{GM^2}{R}\right)$$

Dark Matter

Clusters need more mass to hold the galaxies!

Hot Gas in Clusters

Intra-cluster gas

$T \sim 10.000.000\ ^oC$

➔ x-ray emission

Hydrostatic equilibrium

$$\nabla\phi = -\frac{1}{\rho}\nabla p$$

➔ temperature depends on mass

Example $$\rho(r) = \frac{kT_e}{2\pi G m_e r^2}$$




Hydra in the optical

© Copyleft Martín Makler

X-ray Clusters

The gas is more uniformly distributed



Hydra in x-ray




M_{gas} ~ 20 x M_{stars}

Dark matter is still 80%

X-ray Clusters

The gas is more uniformly distributed



Hydra in x-ray




Dark Matter


M_{gas} ~ 20 x M_{stars}

Dark matter is still 80%

Gravitational Lensing



Deflection of light by space-time curvature




Multiple images

©Copyleft Martín Makler

Gravitational Lensing Effects

- Deformation (and magnification) of background galaxies
- Orientation in the tangential direction
- Statistical measurement
- Dark Matter is less concentrated



©Copyleft Martín Makler

Gravitational Lensing Effects


- Deformation (and magnification) of background galaxies
- Orientation in the tangential direction
- Statistical measurement
- Dark Matter is less concentrated



© Copyleft Martin Makler

The Bullet Cluster

- Optical image + Weak lensing signal




astro-ph/0608407

Mass reconstruction using weak lensing

© Copyleft Martín Makler

Evidences for Dark Matter

- Gas distribution (most of baryonic matter)




astro-ph/0608407

8σ deviation in the center of the distributions

©Copyleft Martín Makler

Evidences for Dark Matter


- Gas distribution (most of baryonic matter)



8σ deviation in the center of the distributions

©Copyleft Martín Makler

Comparison among Dark Matter measurements in clusters



E. S. Cypriano, et al., astro-ph/0504036

- Weak lensing
- X-ray emission
- Velocity dispersion

➔ agree within ~ 20%
(for relaxed clusters)

Dark Matter is less concentrated

Dark Matter in Galaxies

- Galaxy rotation curves

Back of envelope estimation

$$G\frac{M(r)}{r^2} = \frac{\left[V(r)\right]^2}{r}$$


$$\Downarrow$$

$$M_{Halo} \approx 3-10 M_{Visivel}$$

Dark Matter is less concentrated

M33

astro-ph/9909252



© Copyleft Martín Makler

Dark Matter in the Universe

Evidences:

- Galaxy rotation curves
- Motions in galaxies, clusters, and large-scale structure
- X-ray flux in clusters
- Gravitational lensing
- Sunyaev-Zel'dovich effect

There is ~5x more *dark matter* than usual (SM) matter!

Non-baryonic: Does not interact with baryonic matter

(weak/no dissipation, no light emission, no nuclear reactions)

structures, *bullet*, nucleosynthesis...

Where is the "ordinary matter"?

- Visible matter (stars): 10%
- Most part of baryonic matter is "dark" (gas, planets, BH)

© Copyleft Martín Makler

Dark Matter in the Universe

Evidences:

- Galaxy rotation curves
- Motions in galaxies
- X-ray flux i
- G
- Th
- No

Dark Matter is the component - that clusters - that dominates the mass density of the Universe

The Universe is more homogeneous that is seems when looking only at galaxies

Whe

- Visib
- Most [illegible]onic matter is “dark” (gas, planets, BH)

© Copyleft Martín Makler